

Quality Packaging Systems

A Comprehensive Line of Production L-Sealers and **Shrink Tunnels**

- Safe & Easy Seal Wire System
- Excellent warranty coverage
- More standard features

Match the right sealer with the right tunnel

6 styles of L-Sealers

9 styles of Shrink Tunnels







L-Sealers

L1620C L1620D L2030C L2030D L3040C L3040D

Shrink Tunnels

T91624	T121624					
T122424	T121648					
T122448	T123648					
T404640	T100110					
T181648	T182448					
T100040						
T183648						


Pack-All, Inc., 3003 Hirsch Street Melrose Park, IL 60160







L-Sealers – heavy duty machines for a wide range of products. Available in standard "C" model for lower-volume needs and in "D" model with automatic product take-away conveyor for optimum throughput.





Safe and Easy wire changes with NO TOOLS!

Standard features include:

- Guarded adjustable film rack with tension control
- Pin perforators for air evacuation
- Dual magnetic hold-down
- Adjustable dwell timer
- Safe & Easy seal wire system NO TOOLS REQUIRED
- 2-year warranty

L-Sealer specifications									
Model	Seal area	Power	Weight	Overall dimensions					
L1620D	16"W x 20"L	120V/1Ph/20A	250 lbs.	54"H x 30"W x 40"L					
L1620C	16"W x 20"L	120V/1Ph/20A	250 lbs.	54"H x 30"W x 40"L					
L2030D	20"W x 30"L	208 or 220V/1Ph/20A	400 lbs.	74"H x 35"W x 40"L					
L2030C	20"W x 30"L	208 or 220V/1Ph/20A	400 lbs.	74"H x 35"W x 40"L					
L3040D	30"W x 40"L	208 or 220V/1Ph/20A	550 lbs.	92"H x 45"W x 42"L					
L3040C	30"W x 40"L	208 or 220V/1Ph/20A	550 lbs.	92"H x 45"W x 42"L					

Options available:

- Spare parts kit
- Heavy products capability
- L-R product flow
- Hot hole punch
- Sealer to tunnel transition rollers
- Accumulation tables



Shrink Tunnels – available in a broad range of sizes and capabilities so matching the right tunnel with the right sealer is easier and assures the most cost-effective system possible. Pack-All systems produce strong seals, consistent film shrinkage and excellent appearance.



Standard features include:

- Precision digital temperature controllers*
- High efficiency heater elements
- High efficiency blower motors
- Variable-speed silicone conveyor belt
- Automatic cool-down
- Solid steel construction
- 2-year warranty

Options available:

- Spare parts kit
- Transition rollers infeed/outfeed
- Console stand with locking casters

Shrink Tunnel specifications								
Model	Chamber	Heater	Blowers	Power	Weight	Overall dimensions		
T91624*	9"H x 16"W x 24"L	2	2	208 or 220V/1Ph/20A	230 lbs.	37"H x 33"W x 56"L		
T121624	12"H x 16"W x 24"L	2	2	208 or 220V/1Ph/20A	280 lbs.	48"H x 25"W x 58"L		
T122424	12"H x 24"W x 24"L	4	4	208 or 220V/3Ph/30A	350 lbs.	48"H x 33"W x 58"L		
T121648	12"H x 16"W x 48"L	4	4	208 or 220V/3Ph/20A	450 lbs.	72"H x 25"W x 58"L		
T122448	12"H x 24"W x 48"L	4	4	208 or 220V/3Ph/30A	525 lbs.	72"H x 33"W x 58"L		
T123648	12"H x 36"W x 48"L	4	4	208 or 220V/3Ph/30A	750 lbs.	72"H x 44"W x 58"L		
T181648	18"H x 16"W x 48"L	4	4	208 or 220V/3Ph/25A	500 lbs.	72"H x 25"W x 64"L		
T182448	18"H x 24"W x 48"L	4	4	208 or 220V/3Ph/30A	525 lbs.	72"H x 33"W x 64"L		
T183648	18"H x 36"W x 48"L	6	6	208 or 220V/3Ph/35A	750 lbs.	72"H x 44"W x 64"L		

^{*}T91624 equipped with analog controller. All other models equipped with digital controllers.



L-Sealer and Shrink Tunnel Systems -

variety of sizes and capabilities available to fit your every need

Functional, Cost-Effective System





Adjustable to match evenly with shrink tunnels



Safe and Easy wire changes with NO TOOLS!



Adjustable seal height

To assure that you get the most productive and cost-effective shrink system, we work with you to define your needs in order to specify the best sealer and tunnel. With a broad range of machines, we can match the system to your products and production criteria. Most systems can be efficiently operated by one person and the addition of an accumulation table often increases productivity.

Contact us and let us know how we can help improve your packaging capabilities.

www.pack-all.com



